



NOTES:

1. ALLOWABLE OPTICAL MATERIAL:  
FUSED SILICA CORNING 7980
2. SURFACE S2 TO BE PARALLEL WITH SURFACE S1 TO WITHIN 5 ARCMIN
3. COATING (APPLY ACROSS ENTIRE SURFACE)  
S1 & S2: VIS-NIR (400-1000nm)  
  
Rabs ≤ 0.25% @ 880nm  
Ravg ≤ 1.25% @ 400 - 870nm  
Ravg ≤ 1.25% @ 890 - 1000nm



4. SIX SIDEWALLS:  
SURFACE ACCURACY: COMMERCIAL POLISH



**FOR INFORMATION ONLY:  
DO NOT MANUFACTURE  
PARTS TO THIS DRAWING**

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE  
DIMENSIONS ARE FOR REFERENCE ONLY

**EO**® Edmund Optics®

	S1	S2	THIRD ANGLE PROJECTION		TITLE	4mm Aperture x 100mm L, VIS-NIR Coated, Low NA, Fused Silica Light Pipe	
SHAPE	PLANO	PLANO	ALL DIMS IN	mm	DWG NO	23495	
IRREGULARITY AT 632.8nm	N/A	N/A			SHEET		6 OF 18
SURFACE QUALITY	60-40	60-40					